



Situation Report • July 2, 2020

SEOC Preparedness Level Level 3 – for COVID-19 Response	Maritime Security (MARSEC) Level 1 - Minimum Appropriate Security Measures	National Terrorism Advisory System Latest NTAS Bulletin
Ketchikan EOC Activation Level Steady State Operation – Fully Staffed Ketchikan COVID-19 Response EOC Direct: 907-228-2366	Novel Coronavirus (COVID-19): CDC Updates CDC Situation Report WHO Updates WHO Situation Report	Alaska Military Installation Force Protection Level: FPCON Bravo

(Significant changes from previous situation reports are in red)

COVID-19 Alaska Specific Information:

181 New cases statewide since 6/26

- Alaska Department of Health and Social Services [COVID-19 Dashboard](#) , [Health Alerts](#) and [Mandates](#), [Plan for Phase 3/4](#)

COVID-19 Ketchikan Specific Information: Ketchikan Gateway Borough [COVID-19 Response Page](#)

Ketchikan COVID-19				
Last Update: 7/2/2020 at 5pm				
Cumulative Tests Administered	Tests Pending Results	Cumulative Positive Cases	Resident / Traveler Staying Local	Resident / Traveler Not Staying Local
5201	446	31	27	4
Close Contact	Travel Related	Non-Travel Related	Recovered	Hospitalizations
14	14	2	26	2
Northbound Flights Met	Passengers Screened	Tested Prior to Arrival	Tested On Arrival	Chose Quarantine
51	1704	470	796	100

COVID-19 Unified Command Objectives:

- Safeguard health & safety of personnel and the public
- Prevent, Contain, and Stop the spread of COVID-19
- Expand local COVID-19 testing capacity
- Support care for the sick
- Provide public information
- Develop Closed Point of Dispensing (POD) Plans

COVID-19 Ketchikan EOC Actions:

- Website dashboard and test result image above will be updated next week to better display data.
- The EOC is fully staffed and is preparing for recovery efforts while remaining vigilant and enhancing preparedness.
- **New IAP approved for the Operational Period beginning today.**
- Additional changes to State Mandate 10.1 and are posted at <http://covid19.alaska.gov/travelers>.
- Developing criteria by which community risk can be evaluated and be posted for public information.
- **Issued Purchase Order to Luminex for one ARIES M12V1 System IVD estimated delivery around 9/1/2020.**
- **Developing criteria for reporting people who test false positive.**
- **Public Health will no longer call close contact individuals on a daily basis. They will be responsible to notify Public Health if they become symptomatic.**

Operations

- The testing hotline number 907-247-TEST (8378) is available M-F 8am – 6pm, Sat 10am – 4pm, and closed on Sunday to screen and refer symptomatic individuals for testing. The hotline has taken **866 (+133)** calls with 73 testing referrals.
- The **eighth** wastewater sample results have been received and were also negative for COVID-19 in the City of Ketchikan wastewater stream; the results are being shared with Alaska DEC. Researching the threshold at which the test is accurate.
 - Evaluating efficacy of the program because of the three week lag time in receiving sample results.
- Continue to determine provider supply needs and submit 213RR through SEOC for Abbot testing supplies.
 - Discussing strategies to maximize use of local testing machines and possibly procure more.
- Established, operating, and refining testing facilities for out of state travelers arriving at the airport.
 - **1704** travelers have been screened resulting in 8 positive cases being identified since the start of the program
- Drive up testing efforts have been successful and will continue each week on Wed and Thurs from 11am to 1pm
 - **This week's drive up testing clinic collected 188 samples.**
 - Preparations are underway to conduct the operation without the assistance of Public Health.
 - Coordinating with Island Air, AMHS, USCG, and fish processors for testing employees and customers
 - **Working with AMHS to establish regular testing schedule.**

Planning

- No new activity to report.

Logistics

- 8 testing machines on Island: Peace Health 4 Abbot ID Now, 1 QIAGEN & 1 Cepheid, KIC 1 Abbot ID Now; Power of Wellness 1 Abbot ID Now, 2 outside testing companies.
- **Procurement Unit Leader is in the process of obtaining a quote from Biofire for one FilmArray TORCH with reagent supply to process 500-1000 weekly.** (<https://www.biofiredx.com/covid-19/>)
- Testing supplies:

Test kits	Complete*	Reagent	Tubes	Swabs	Cepheid
In stock	3,146 (-202)	209	2,180	0	1,320
On order	10,000	1,220	3,500	1335	

*This is the total number of test kits available both as complete kits, and as a combination of components.

Finance

- **Average cost of Drive-Up testing \$106 per test; Average cost of airport screening \$109 per person screened.**

PIO

- **Social media: 4th of July Safe Gathering; Positive cases**
- **Press releases on Positive Case.**
- **Preparing for July 10 Traveler Industry Testing Forum.**
- **Drafted display ad for Weekend newspaper: 4th of July Safety Guidance**
- **Printed forms for traveler testing site.**